

To: Cregan, Alan@Waterboards[Alan.Cregan@waterboards.ca.gov]
Cc: Harvey, Dale@Waterboards[Dale.Harvey@waterboards.ca.gov]; Albright, David[Albright.David@epa.gov]
From: Dermer, Michele
Sent: Thur 12/17/2015 6:55:53 PM
Subject: RE: Alon Comments

Hello Alan,

I very much appreciate the input. We will double check and make sure we agree and then I would plan to incorporate your feedback into our response to Alon. I will certainly make sure you are copied on our letter. This is essentially the first one and I think we are working through the difference between providing detailed comments and the completeness review. Thank you again for including EPA on the call yesterday.

Sincerely

Michele

Michele Dermer

Drinking Water Protection Section

US EPA Region 9

(415) 972-3417

dermer.michele@epa.gov

From: Cregan, Alan@Waterboards [mailto:Alan.Cregan@waterboards.ca.gov]
Sent: Thursday, December 17, 2015 10:25 AM
To: Dermer, Michele <Dermer.Michele@epa.gov>
Cc: Harvey, Dale@Waterboards <Dale.Harvey@waterboards.ca.gov>

Subject: Alon Comments

Hello Michele,

Attached are our comments to the Alon Aquifer Exemption checklist. Sorry that it has taken me so long to get them to you.

If you have any questions, please let me know.

Alan

Alan Cregan, PG

Senior Engineering Geologist

SB-4/UIC Program

Regional Water Quality Control Board, Fresno

(559) 445-6185